



Pseudomonas aeruginosa

SAMPLE COLLECTION

Prior to collecting samples:

- Use waterproof pen to label bottle with sample location, description, and date.

The sample volume is **≥120 mL** and should be collected as follows:

Potable Water

Turn on hot water and immediately fill the bottle. Close bottle and invert to mix neutralizer.

Swimming Pools, Spas, Whirlpools or Hot Tubs

1. Collect sample by removing cap and holding at an angle of 45°. Fill in one slow sweep down through the water with the mouth of the bottle always ahead of the hand.
2. Fill the bottle (**≥120 mL**). Be careful to retain the sodium thiosulfate neutralizer in bottle.
3. Replace cap and mix.

CHAIN OF CUSTODY

1. Log on to MySPL portal and click Start Chain of Custody under the Quick Links section.
2. Enter your information, and then click Save and Submit or Save as Draft. *Chains of Custody cannot be edited after submission.*
3. Add confirmation number from the confirmation screen (or email) to the box before shipping.

SHIPPING

1. Ship the same day samples are collected for receipt in laboratory. The time from sample collection to analysis **should not exceed 30 hours**.
2. Place bottles in box with insulated liner.
3. Write your confirmation number on your SPL label that shipped with your bottle order. Add the label to top of box (if no label, write the number on your box).
4. Use the included return tape to seal your box for return shipping. Make an “H” with the tape by affixing tape evenly across the flaps and seams along the top of the box.



**SPECIAL
PATHOGENS
LABORATORY**
THE LEGIONELLA EXPERTS®

SAMPLING AND SHIPPING

Pseudomonas aeruginosa

5. Ship Monday–Thursday only to:
(Samples received on Saturday will not be processed.)

Special Pathogens Laboratory
1401 Forbes Ave., Suite 401
Pittsburgh, PA 15219

Questions? Contact SPL at 412-281-5335